# Existing Systems Approval (ESA) Workbook

A workbook approach for Group A Public Water Systems to submit Existing System Approval information

December 2003



DOH PUB. # 331-244

#### Contents

- 1 Owner's Statement & Background Information
- 2 Element 1– Water Facility Inventory (WFI) Update
- 2 Element 2 Basic Water System Information
- 6 Element 3 Existing System Layout and Map
- 6 Element 4 Operations and Maintenance (O&M) Program
- 8 Element 5 Water Rights Documentation
- 9 Element 6 Coliform Monitoring Plan (CMP)
- 9 Element 7 Water Quality Monitoring Information
- 10 Element 8 Sanitary Survey Inspection and Follow-up Corrections
- 10 Element 9 Adequate Pressure and Water Availability
- 13 Element 10 Inventory of Potential Sources of Well Contamination and Confined Aquifer Determination
- 17 Element 11 Distribution System Description & Assessment
- 18 Element 12 Storage Facility Description & Assessment

### **Owner's Statement & Background Information**

Water System Name:	
Water System ID Number:	County:
Owner's Statement of Accuracy and Ur	nderstanding:
information provided in this ESA Workboo further understand that I will not be able t	am the owner of this water system and that the ok is accurate to the best of my knowledge. I to add additional connections or make major first obtaining additional written approval from
Name of Owner (print legibly)	
Signature of Owner	Date of Signature
Preparer's Information (print legibly):	
Name and Title	
Address	
Address	
Telephone numbers (day and evening)	
Fax number (if any)	
Email address (if any)	

Note: Detailed instructions for completing this workbook are contained in a separate publication, *Existing Systems Approval (ESA): General Information and Workbook Instructions* (DOH publication #331-245).

## Element 1- Water Facility Inventory (WFI) Update

Αo	copy of the updated WFI is attached.  Yes
No	te: an updated WFI will be required in order to obtain an ESA.
ΕI	ement 2 - Basic Water System Information
1.	Water System Type:
	Group A Community
	Group A Transient Non-community (TNC)
	Group A Non-Transient Non-community (NTNC)
2.	Date of first operation for public use of the public water system:
3.	Names and addresses of all owners (if the owner is an organization or company, you must list the name, address, phone, etc of an owner's contact person):
	Owner Name:
	Address:
	City/State/Zip:
	Phone:
	Fax:
	E-mail:
	Owner Name:
	Address:
	City/State/Zip:
	Phone:
	Fax:
	E-mail:
	Owner Name:

City/State/Zip:		
Phone:		
Fax:		
E-mail:		
Add additional pages if	appropriate.	
4. Certified Operator's Na	me, Certificate Number and Address:	
☐ NA, not require	ed to have a certified operator	
Certified Operator's Na	nme:	
Address:		
City/State/Zip:		
Phone:		
Certificate Number:		
Certified Operator's Na	nme:	
-		
City/State/Zip:		
5. Emergency Contact	Reference List (Names, addresses and )	phone numbers):
<b>Emergency Contact Type</b>	Name, Title and Phone Number(s)	Address(es), if needed
Water System 24-hour Emergency Number		
T-1		

Eastern – 509-456-3115

Fire

Police

Medical

Services

County Emergency

County Environmental Health Services State Drinking Water

<b>Emergency Contact Type</b>	Name, Title and Phone Number(s)	Address(es), if needed
Program (DOH)	Northwest – 253-395-6750 Southwest – 360-664-0768 Toll Free – 1-800-521-0323	
DOH After-Hours Emergency Line	1-877-481-4901 (after hours)	
FBI (if security breach is suspected)	206-622-0460	
Electrical Utility		
Electrician Services		
Pump Services		
Plumbing Services		
Engineering Services		
Media Contact		
Call before you dig		
Other		
(ADD) and on the highest of data from source meters, ta	v much water your water system uses demand day of the year (MDD). Estinnk depth measurement changes, and/o	nates may be based upon
MDD estimate:	gallons/day	
Is a source meter install Have you recorded sou	led? Yes N	
Note: Systems seeking	an Existing System Approval must ha	ave a functional source
meter that measures the	total volume of water pumped.	
How did you determine	ADD?	
How did you determine	MDD?	

7. Fire Flow requirements:

Disinfection  Filtration  Iron or Manganese Removal  Corrosion Control  Other	Water Treatment Process	Installed Yes/No	Description and Purpose of the Treatment Process
Iron or Manganese Removal  Corrosion Control	Disinfection		
Manganese Removal  Corrosion Control	Filtration		
Control	Manganese		
Other			
	Other		
	1.0		
ement 3 — Existing System Layout and Map ach a copy (you keep the original) of the existing distribution lines and conne			

If the map is too large to attach, indicate which facilities are identified on your map, who
produced the map, when the map was produced, and where the map is kept (e.g., office,
shop, etc.).
Location of system layout map:

	Location of system rayout map.
•	Date the system layout map was created:
•	Name of person who created the system layout map:

# Element 4 – Operations and Maintenance (O&M) Program

1. System Operations and Maintenance Personnel: complete the table.

Name	Title/Certificate Number	Phone Number (Day/Night)

2. Operation and Maintenance Activities: complete the table:

O&M Functions	<b>Schedule</b> —List the frequencies (daily,
	weekly, monthly, as required, etc)
System Start Up/Shut down	
Responding to Water outages	
Responding to water quality	
emergencies	
Line Flushing	
Reservoir cleaning	
Coliform Sampling	
Nitrate Sampling	
Chemical Sampling (IOC, VOC, SOC)	
Other WQ Sampling	
Equipment Maintenance	
Well pump(s)	
Meters	
Booster Pump(s)	
Valves	

<b>O&amp;M Functions</b>		Schedule—List the	frequencies (daily,
		weekly, monthly, as	required, etc)
Disinfection System			
Other chemical feed	systems		
Leak repairs			
Leak repair			
Other O&M tasks (specify)			
List of Contractors and Suppl	iers		
Description of Item or Service	Name/Con	ntractor/Supplier	Phone Number
ement 5 – Water R  Is your water system require demand day (MDD) is 5,000	d to have a wa	ter right? Check "y	es" if estimated hig
Is your water system require	d to have a wa	ter right? Check "y	es" if estimated hig
Is your water system require demand day (MDD) is 5,000	d to have a wa or more gallo	nter right? Check "yons/day.	J
Is your water system require demand day (MDD) is 5,000	d to have a wa or more gallo	nter right? Check "yons/day.	J
Is your water system require demand day (MDD) is 5,000	d to have a wa or more gallo	nter right? Check "yons/day.	J
Is your water system require demand day (MDD) is 5,000	d to have a wa or more gallo	nter right? Check "yons/day.	J
Is your water system require demand day (MDD) is 5,000	d to have a wa or more gallo	nter right? Check "yons/day.	J

### Water Right and Water Use Table

	Source ID#			
Water Rights Parameters				
Instantaneous (maximum gallons per				
minute/cubic ft per second)				

Annual Withdrawal Limit (maximum		
acre/feet per year)		
Estimated Use Information		
Pumping Rate (from Element 9, item 1)		
Annual Use (from Element 2, item 6)		

).	rights parameters above)?
	☐ Yes ☐ No
	If you marked "no", you do not have adequate water rights.
5.	Is the annual use less than or equal to the annual withdrawal limit (from the water rights parameters above)?
	☐ Yes ☐ No
	If you marked "no", you do not have adequate water rights.
7.	If you checked "No" to either question 5. or 6. then your water rights are considered to be inadequate. In order to obtain an ESA you are required to make application for new or additional water rights. A copy of your application to Ecology will be

#### **Element 6 – Coliform Monitoring Plan (CMP)**

considered proof of application for water rights.

Attach the completed Coliform Monitoring Plan (CMP) form and map. Refer to DOH publication "*Preparation of a Coliform Monitoring Plan*" for detailed instructions. You should be certain that the number of monthly samples in listed in your CMP agrees with or exceeds the number of coliform samples printed on your WFI form.

#### **Element 7 – Water Quality Monitoring Information**

1. Initial Water Quality (WQ) Monitoring: Provide evidence that you have completed the initial water quality monitoring specified by the DOH. Include a copy of the requirements specified by DOH and copies of laboratory results.

2.	Ongoing WQ Monitoring: Attach a copy of your Water Quality Monitoring Report (WQMR) or other documentation from the Department, which shows your annual water quality monitoring requirements.
3.	Is there a source-sampling tap installed near the wellhead and upstream from any storage or pressure tanks?
	☐ Yes ☐ No
	Note: Systems seeking an Existing System Approval must have a properly located source-sampling tap near the wellhead
EI	ement 8 – Sanitary Survey Inspection and Follow-up
C	orrections
1.	Attach a copy of your sanitary survey inspection report.
2.	If the sanitary survey report is more than 5 years old, contact your DOH regional office and schedule a sanitary survey. For instructions on getting ready for the survey, refer to DOH Publication #331-238, <i>Preparing for a Sanitary Survey: Information to Help Small Water Systems</i> .
3.	Provide documentation that survey deficiencies noted in the sanitary survey findings have been corrected to the satisfaction of DOH.
EI	ement 9 – Adequate Pressure and Water Availability
1.	What method have you selected to demonstrate adequate water pressure and availability?
	Pressure readings recorded under actual or simulated peak flow conditions.
	Other approach, (specify details in a report which provides an explanation and justification for your approach).
2.	Well Pump Information: (provide this information for each well pump)
	Manufacturer:
	Pump Model:
	Attach a copy of the pump curve or table, if available. Pump curve attached:

	☐ Yes ☐ No				
	DOH Source # for this well is	i			
	Well pump capacity for this w			gpm.	
	What pressure zone does this				
3.	Provide a narrative description	n of the press	ure zones for y	our distribution s	ystem.
	(Note: most systems will only your system indicate how that	C		, I	
	Pressure Method	Zone 1	Zone 2	Zone 3	1
	Well/Pressure Tank				
	Gravity Storage				
	Booster Pump/Pressure Tank				
	Other:				
4.	Pressure Tank Information: C	-		-	nstallation.
	What pressure zone does this This pressure tank(s) is/are in	-			
	☐ Well pump protection				
	☐ Booster Pump protection				
	Manufacturer:				
	Pressure Tank Model:				
	Total number of pressure tank	:s:			
	What size are the pressure tan	ks (32, 86, 11	9, etc gallons)	?	
	What is the operating pressure	e range of the	system (30/50	, 40/60, 50/70,	psi)?
5.	Pressure Gauge Readings: Pr simulated flow conditions. U				

readings should represent peak flows measured at the highest elevation point (customer) point in a system, at the most distant connections from the source, and at representative locations through out the distribution system. If your are taking pressure measurements during low demand periods, then you should simulate peak demand flows by opening hydrants, blow offs, etc and duplicating peak demand flows.

Record pressure readings during peak flows or usage periods in the following table.

Pressure gauge installation sites	Pressure Measured in Zone 1	Pressure Measured in Zone 2	Pressure Measured in Zone 3
Site most distant from source of			
pressure			
Site with highest water demand			
Representative sites (specify where)			
a)			
b)			
c)			

-	re the pressure measurements were taken and explain why you selected sites. Explain how you simulated peak flow conditions.
Pressure Ade	quacy Certification.
conditions?_	able to provide 20 psi to all connections under maximum flow  No
can be provid	eeking an ESA must be able to demonstrate that all service connections led 20-psi pressure (measured at the service meter or property line) um flow conditions.
Name of pers	son completing Element 6:
License or Co	ertification Number:e

Date:	

# Element 10 – Inventory of Potential Sources of Well Contamination and Confined Aquifer Determination

Attach a completed Element 10 worksheet for each well that you are able to use.

1.	Source Name:
	(Must match WFI Source Name)
2.	Source ID #:
	(Must match WFI Source ID # number)
3.	Type of Source: (check 1 box)
	Permanent Well (the main well)
	Seasonal Well (used for part of the year such as during dry summer and fall
	months)
	Emergency Well (only used for emergencies such as a pump failure)
	Other: explain

#### **Potential Source of Contamination Worksheet**

Potential Contaminant Source Type	Is the potential contaminant within 100' of the well? Yes/No	Distance from the well (ft.)
Abandoned ground water wells		
Animal burial		
Drainfields and septic tanks		
Drywells		
Dumpsters		
Fuel Storage		
Graveyards		
Home/Garage/Out Buildings		
Hazardous waste storage, distribution, transport facilities		
Hazardous waste disposal sites		
Irrigation Canal(s)		
Landfills, dumps, disposal areas		
Other sources of biological contaminants		
Pesticide application or storage		
Roads, driveways and parking lots		
Sludge storage or storm water catch basins		
Septic Tank or septic drainfield		
Sewer lines, gravity or pressure		
Surface Water (lakes, rivers and streams)		
Underground storage tanks		
Wastewater spray irrigation		
Other (specify)		

5.	Is a well report available for this well?
	☐ Yes (attach copy) ☐ No (Stop, do not complete Items 6-9 if you do not have a well log)
6.	Does the well report show that an 18-foot (minimum) surface seal (of cement, bentonite, or grout) was installed below ground surface?
	☐ Yes ☐ No
7.	Are all well screens and/or open intervals (such as mill-knife perforations or open-bottomed casings) deeper than 50 feet from the top of the casing?
	☐ Yes ☐ No
8.	Complete the Confined Aquifer Determination Worksheet (next page):

#### **Confined Aquifer Determination Worksheet**

Step	Element	Feet	
1	Total thickness of <u>confining layers</u> identified in		
	driller's log:		
	Note: This section can only be completed with the		
	use of a well report or geologic log, which will		
	show the layers of material that were encountered		
	during drilling (cobbles, gravel, sand, rock,		
	fractured rock, basalt, silty sand, till, hardpan, clay,		
	etc.).		
	Find the zone where the well is screened or open.		
	Look at the materials encountered <u>above</u> that point.		
	Do any of those layers consist of <u>fine silty sands</u> ,		
	<u>clays, unfractured rock, hardpan, or till?</u> If so,		
	these layers are considered to be impermeable		
	(confining) layers, which may serve to protect the		
	aquifer from surface contamination.		
2	If the total in Step 1 is greater than 10 feet for		∐ Not
	multiple layers, or greater than 5 feet for a single		confined
	confining layer, then proceed below. If not, <b>STOP</b>		
_	<b>HERE</b> and check the box at right →		
3	Depth from the top of the well casing to the bottom		
	of lowest confining layer:		
4	Depth from the top of well casing to the static water		
	level in the well:		
	Note: This would be listed in part 8 of the well		
	report. It is the standing level of water in the well,		
	or the depth to water in the well measured from the		
	top of the well. It may be significantly different		
	from either the total depth of the well or the top of		
	the open interval. If this information is not		
	available on the well report, a current water level		
	measurement can be used as an estimate. If the		
	well is under pressure, or is a flowing well, indicate		
	this as an additional notation in the space to the		
	Program South and Stone A form Stone 2		
5	Result – Subtract Step 4 from Step 3		
6	If the result in Step 5 is equal to or greater than 20		
	feet, the source can be considered confined, and you		Confined
	may check the box at right -		

9.	Does the water well report or geologic log demonstrate that the source of water comes from a confined aquifer? (See step 6 of item 8 above)
	☐ Yes ☐ No
_	lement 11 – Distribution System Description & ssessment
1.	Summarize general distribution system characteristics such as pipe sizes, material, and age.
2.	Summarize areas of known physical deficiencies and routine pipe replacement programs:
E	lement 12 – Storage Facility Description &Assessment
Pr	ovide the following information:
1.	Check the appropriate box (see list of useful formulas and conversion factors):
	An above ground storage reservoir Volume = gallons
	A below ground storage reservoir Volume = gallons
	☐ Not Applicable
2.	What material is the reservoir made from?
	Steel
	Concrete

	Other, specify:
3.	Can the storage tank be valved off from the system?
	☐ Yes ☐ No
4.	Are there any openings in the tank that could allow anything (insects, birds, mice, etc.) into the tank?
	☐ Yes ☐ No
	If you answered "yes", then describe how you propose to close or screen the openings.
5.	Are access hatches locked?
	Yes No there is not an access hatch
	If you answered "no", then describe how you propose to lock the hatches.
6.	Is the storage site protected against vandalism?
	☐ Yes ☐ No
	If you answered "no", describe how you propose to protect against vandalism.